

# Price Comparison Results and Super-replication: An Application to Passport Options <sup>†</sup>

Vicky Henderson <sup>‡</sup>

RiskLab, Department of Mathematics, ETH Zentrum, CH-8092, Zurich, Switzerland

vh@math.ethz.ch

28th May, 1999, minor revisions 2nd May, 2000

## Abstract

In this paper, we provide a new proof of the result that option prices are increasing in volatility when the underlying is a diffusion process. This has been shown to hold for convex payoff, path-independent options by El Karoui et al [7], Hobson [12] amongst others. The advantage of the new proof is that it can be extended to establish monotonicity results for path-dependent payoffs where the payoff depends on the maximum (or minimum) of the asset price process. The techniques used to prove each of these results are mean comparison theorems of Hajek [9] and coupling of stochastic processes.

Using these results, and the connection between passport and lookback options, we prove that the price of a passport option is increasing in volatility for general diffusion models for the asset price. It is shown that the seller of a passport option can super-replicate if the volatility is overestimated, regardless of the strategy followed by the holder.

**Keywords and Phrases:** Stochastic volatility, Passport Option, Comparison theorems, Diffusions, Coupling, Path-Dependent Options

**JEL Classification Numbers:** G12, G13.

**AMS (1991) Subject Classification:** 60G17, 60J55, 60J60, 90A09.

---

<sup>†</sup>Manuscript received...; final version received...

<sup>‡</sup>I would like to thank David Hobson for his suggestions and advice. This work was presented in seminars at the Vienna University of Technology and Erasmus University, Rotterdam (both May, 1999).

# 1 Introduction

In the Black Scholes model, it is clear that the price of a call option is increasing in the volatility parameter. However, once we step away from this simple model, this property is no longer immediate. Indeed, if we consider option payoffs other than calls, it is not obvious that this monotonicity property holds. Thus, a natural question which has been answered by El Karoui [7], Hobson [12] and Bergman et al [3] is whether option price monotonicity in volatility holds for more general models than Black-Scholes. Their result, says that for diffusion models and convex payoff the (non path-dependent) option price is increasing in volatility. We prove this result in a simpler, more general way in this paper, extending the result to allow for a diffusion price process where the diffusion coefficient varies in time and space. Our motivation for this is to use techniques which enable us to extend the result to exotic options.

We extend the monotonicity result to a payoff involving the maximum (or minimum) of the asset price process over a time interval. The approach used is to adapt a comparison theorem of Hajek [9] to obtain the result directly. This represents an extension of the new proof for the simple non path-dependent option price monotonicity result. Alternatively, we could use coupling of stochastic processes to extend a result by Hobson [12]. For a description of coupling techniques see Lindvall [14].

This new result involving maximums will be applied to a new type of option called a passport option. The literature on passport options includes Hyer et al [13], Henderson and Hobson [11], Andersen et al [1], Henderson [10], Shreve and Večer [17] and Delbaen and Yor [5]. A passport option is a call option on a trading account where the holder (buyer) of the option undertakes a trading strategy which is subject to a constraint. At expiry, the holder receives from the option seller either the positive gains from trading or nothing if a loss was made.

By exploiting a connection between passport and lookback options we prove, using our result, that the price of a passport option is increasing in volatility, where the asset price follows a general diffusion process with a realistic assumption on the diffusion coefficient. This is of interest, since the optimal strategy for the holder is in fact the same for any diffusion with non-decreasing diffusion coefficient.

We also consider the question of hedging with a model which differs from the true dynamics of the price process. What will happen if the seller of a passport option believes and uses a model in which the volatility is consistently higher or lower than the 'true' volatility? We examine the hedging strategy

which is calculated under the sellers' assumed model using market prices which are from the 'true' model. Since the seller can never know the 'true' model, this is an important practical consideration. For a diffusion price process of the type mentioned, we prove that if volatility is overestimated by the seller, they will always have at least enough to cover the option payout and may have more than the required amount. This is called super-replication, see El Karoui and Quenez [8]. We show this occurs *regardless of the strategy* followed by the holder.

A number of authors mentioned earlier have considered this question in the context of non path-dependent options (see El Karoui et al [7] and Hobson [12]). Recent work of Dudenhausen et al [6] examines Gaussian interest rate models and concludes that overestimating volatility can cause the seller to superreplicate if the hedges are implied by Black-Scholes-type pricing formulas (said to include Gaussian term structure models and lognormal interest rate "market" models) and if certain hedging instruments are available.

The paper is structured as follows. In §2 we provide a simple proof of price monotonicity for non path-dependent options using Hajek's [9] theorem. The important extension to path-dependent payoffs is made in §3 with Theorem 3.1. The conclusion of this theorem is applied to passport options in §4.1, with the main result given in Theorem 4.1. In §4.2, the fact that the seller can superreplicate if volatility is overestimated, whatever the strategy followed by the holder is proved. The final section concludes.

## 2 A Simple Proof of Option Price Monotonicity

A way of thinking about the option price monotonicity problem is to consider an agent misspecifying volatility and the effect this has on option prices. The question we answer is: when does the option seller overcharge for the option? The idea is to compare two models, one being that used by the seller, the other is a true reflection of the market. The comparison is done for stochastic volatility models, which have been used by Bensoussan et al [2], Cox and Ross [4] and Rubinstein [16] and shown to be more realistic than the Black-Scholes model. As mentioned in the introduction, the problem is simple for the Black Scholes model as it is clear that higher volatility gives a larger option price and the seller using the higher volatility overcharges relative to the 'true' lower volatility.

Previously a number of authors have dealt with this problem using different techniques. Each has shown that (when the price is a diffusion) if the misspecified volatility dominates the true volatility then the option prices are ordered

the same way, provided the payoff is convex. Bergman et al [3] analyse the pricing partial differential equation whilst El Karoui et al [7] use stochastic flow theory. Hobson [12] constructs a coupling proof based on time changing the continuous local martingale into Brownian motion.

The approach taken here is to apply a comparison theorem of Hajek [9] to achieve the result. This provides a short alternative proof, relying on an existing theorem. We do not require the true model to be a diffusion, although we do need this for the pricing model. Hajek's result was previously used in finance by Shreve and Večer [17].

Consider a continuous time model for the economy with a finite horizon  $T$ . There is a risky asset with price  $S_t$  and for simplicity we assume that interest rates are zero, until stated otherwise. Markets are frictionless with no transactions costs or taxes and assets are infinitely divisible.

We assume that the asset price process is a continuous martingale and that a unique martingale measure exists. This is the pricing measure under which the asset price is a martingale. As a corollary the price of any option can be written as the expectation of the payoff under  $\mathbb{P}$ .

The 'true' model is as follows: under  $\mathbb{P}$ , the measure used for pricing, the price solves

$$(1) \quad d\tilde{S}_t = \tilde{\eta}_t dW_t$$

where  $\tilde{\eta}_t$  is non-negative and adapted.

Now suppose the option seller believes (and uses) another model where  $\hat{S}$  solves:

$$(2) \quad d\hat{S}_t = \hat{\eta}(\hat{S}_t) dW_t$$

with  $\tilde{S}_0 = \hat{S}_0$ . We assume  $\hat{\eta}$  has sufficient continuity properties to ensure the solution to (2) is unique in law (for example, a Lipschitz condition on  $\hat{\eta}$ , see Rogers and Williams [15], Remark V.16.4). This assumption will be used throughout the paper to ensure uniqueness of weak solutions to stochastic differential equations.

We need the following theorem (see Hajek [9, Theorem 3]).

**Theorem 2.1** (Hajek)

Let  $x$  be a continuous martingale with representation

$$(3) \quad x_t = x_0 + \int_0^t \sigma_s dW_s$$

such that for some Lipschitz continuous function  $\rho$  on  $\mathbb{R}$

$$(4) \quad |\sigma_s| \leq \rho(x_s)$$

and let  $y$  be the unique solution to the SDE

$$(5) \quad y_t = x_0 + \int_0^t \rho(y_s) dW_s.$$

Then for any convex function  $\Phi$  and any  $t \geq 0$

$$(6) \quad \mathbb{E}\Phi(x_t) \leq \mathbb{E}\Phi(y_t).$$

□

Theorem 2.1 will be used to prove the following monotonicity result.

**Theorem 2.2** *Given a convex payoff  $\Phi$  and  $\tilde{\eta}_t \leq \hat{\eta}(\tilde{S}_t)$ , the option price is higher under the misspecified model than the true model.*

**Proof:**

Given the martingale  $\tilde{S}$  follows (1) and  $\hat{S}$  solves (2) with  $|\tilde{\eta}_t| = \tilde{\eta}_t \leq \hat{\eta}(\tilde{S}_t)$ , applying Theorem 2.1 gives

$$\mathbb{E}\Phi(\tilde{S}_t) \leq \mathbb{E}\Phi(\hat{S}_t).$$

□

**Remark 2.3** In Hobson [12] the diffusion coefficient in (2) may also depend on the time parameter. However, this is at the cost of requiring both models to be diffusions.

### 3 Price monotonicity for path-dependent options

In contrast to [7], [12] and [3] we can extend the result in Theorem 2.2 to *path-dependent* options. We consider two models for the asset price with  $\hat{S}_0 = \tilde{S}_0 = S_0 > 0$  which are the same as those given in (1) and (2)

$$(7) \quad d\tilde{S}_t = \tilde{\eta}_t dW_t$$

$$(8) \quad d\hat{S}_t = \hat{\eta}(\hat{S}_t) dW_t$$

with  $\hat{\eta}$  Lipschitz continuous and  $\tilde{\eta}_t$  non-negative and adapted. Denote  $S_T^* = \sup_{0 \leq t \leq T} S_t$ .

**Theorem 3.1** *Given  $\hat{\eta}(x) \geq \tilde{\eta}_t \forall t, x$  then*

$$\mathbb{E}h(\hat{S}_T^*) \geq \mathbb{E}h(\tilde{S}_T^*)$$

for any increasing function  $h$ .

**Proof:**

The method will be to adapt the proof of Theorem 2.1 by Hajek [9] to deal with maximums of processes. We refer the reader to Hajek [9] for the technicalities of the proof.

In Hajek's proof of Theorem 2.1, a process  $z_t$  is introduced as a time change of  $x_t$  (solving (3)):

$$z_{\delta_t} = x_t$$

where  $\delta_t = \int_0^t \frac{\sigma_u^2}{\rho(x_u)^2} du$  and  $\delta_t \leq t$ . Analogously, define  $\tau(s) = \inf\{t : \delta_t > s\}$  and

$$z_s = x_{\tau(s)}.$$

Then

$$\begin{aligned} z_s^2 - \int_0^s \rho(z_t)^2 dt &= z_s^2 - \int_0^{\tau(s)} \rho(z_{\delta_t})^2 d\delta_t \\ &= x_{\tau(s)}^2 - \int_0^{\tau(s)} \sigma_t^2 dt \end{aligned}$$

and the optional sampling theorem implies that  $z_t$  and  $z_t^2 - \int_0^t \rho(z_s)^2 ds$  are continuous martingales. So  $z$  is a weak solution to (5). By uniqueness (see comments in §2),  $z_t = y_t$  in law.

At this point, a convex function  $\Phi$  and the optional sampling theorem are used on the submartingale  $\Phi(z_s)$  to give  $\mathbb{E}\Phi(z_t) \geq \mathbb{E}\Phi(z_{\delta_t})$  and thus give the result (6).

To prove the result, we look at the maximum process and note that

$$(9) \quad \sup_{t \leq T} x_t \equiv \sup_{r \leq \delta_T} z_r \leq \sup_{r \leq T} z_r \equiv \sup_{t \leq T} y_t,$$

since  $\delta_T \leq T$ .

Now set  $|\sigma_t| = \sigma_t = \tilde{\eta}_t$  and  $\rho(x_t) = \hat{\eta}(\hat{S}_t)$  giving

$$(10) \quad \sup_{t \leq T} \tilde{S}_t \leq \sup_{t \leq T} \hat{S}_t.$$

Then

$$h(\sup_{t \leq T} \tilde{S}_t) \leq h(\sup_{t \leq T} \hat{S}_t)$$

for  $h$  increasing and taking expectations gives the result. □

**Remark 3.2** Defining  $(S_*)_T = \inf_{0 \leq t \leq T} S_t$  we can modify the proof to obtain the corresponding result for infimums:

$$\mathbb{E}h(\hat{S}_*)_T \leq \mathbb{E}h(\tilde{S}_*)_T.$$

**Remark 3.3** We could have proved Theorem 3.1 using coupling by extending the result in Hobson [12]. This is done by time changing the continuous martingale to Brownian motion. By using the same Brownian motion for both models, a comparison of the time changes may be made. In this case, both models need to be diffusions with Lipschitz continuous diffusion coefficients. However, both coefficients may be time dependent:  $\hat{\eta}(\hat{S}_t, t)$  and  $\tilde{\eta}(\tilde{S}_t, t)$ .

## 4 An Application to Passport Options

A passport option is a call option on the balance of a trading account. The buyer of the option pays an upfront premium and trades according to a strategy of their choice, subject to the constraint that the number of units of risky asset held (long or short) is bounded by a fixed constant. At the expiry date  $T$ , either the gains from this strategy are paid to the holder, or if the account lost money, the loss is borne by the seller giving the buyer a zero net position. The passport option was first introduced by Bankers Trust and the initial paper by Hyer et al [13] appeared in 1997.

This type of structure could be used by active fund managers to offer products with principal protection. Whilst limiting the fund participants downside risk, the fund manager is able to engage in potentially high risk strategies with the knowledge that they will be protected in the event of loss. However, as with other risk management tools, protection comes at a cost in the form of an initial premium.

A key problem in the pricing of passport options is determining the holders' optimal strategy. For the model in §4.1, Andersen et al [1] and Hyer et al [13] show that the holder should invest up to the allowed limit, buying when the value of the trading account is negative and selling otherwise, when the price




Figure 1: *Price of a Passport Option using the Black-Scholes model with  $S_0 = 100$ ,  $G_0 = 0$  and  $T = 1$ .*

follows exponential Brownian motion. This is shown to hold for more general diffusion models (with non-decreasing diffusion coefficient) by Henderson and Hobson [11]. Further results on passport options can be found in Henderson [10].

It is clear that in a Black-Scholes world of exponential Brownian motion, the price of a passport option is increasing in the volatility. In Figure 1, the price of a passport option is plotted against volatility to show this result. This can also be seen directly from the pricing formula in Example 1, Henderson and Hobson [11] or Hyer et al [13]. However, if we only assume that the asset price follows a diffusion (with non-decreasing diffusion coefficient) does this property still hold? We show that the answer is yes.

We show in Theorem 4.2 that if the seller of a passport option overestimates volatility then they can superreplicate. This is independent of the strategy followed by the holder of the option. Coupling is applied to achieve the result in Lemma 4.3.

#### 4.1 Passport Option Price Monotonicity

Assuming the (discounted) asset price  $S_t$  follows

$$(11) \quad dS_t = \eta(S_t, t)dW_t$$

whilst the undiscounted price is denoted by  $P_t$ , where  $S_t = e^{-rt}P_t$ . For no-



tational simplicity, the interest rate  $r$  is constant and we further assume  $\eta$  is Lipschitz continuous.

Denote the holders' strategy by  $q_t$ , representing the number of units of asset held at time  $t$ . Then the gains from trade process  $\psi_t$  is given by

$$d\psi_t = r\psi_t dt + q_t \sigma_P(P_t, t) P_t dW_t$$

where  $\eta(S_t, t) \equiv \sigma(S_t, t) S_t \equiv \sigma_P(e^{rt} S_t, t) S_t$ .

The discounted gains from trade,  $G_t = e^{-rt} \psi_t$  follows

$$dG_t = q_t dS_t.$$

A passport option with expiry  $T$  is a call option (with zero strike) on the trading account  $\psi_t$  and is defined by the payoff

$$\psi_T^+ \equiv \max(\psi_T, 0).$$

Assuming the holder follows the optimal strategy, the time 0 price of a passport option is given by

$$(12) \quad \sup_{|q| \leq 1} \mathbb{E} G_T^+(q).$$

In Henderson and Hobson [11] this price is shown to reduce to:

$$(13) \quad \frac{1}{2} \mathbb{E}(S_T^* - S_0 - |G_0(q)|)^+ + G_0(q)^+$$

when  $\eta(S_t, t)$  is non-decreasing in  $S$ .

**Theorem 4.1** *Given  $\hat{\eta}(x, t) \geq \tilde{\eta}(x, t) \forall x, t$  with  $\hat{\eta}, \tilde{\eta}$  non-decreasing in  $x$ , the price of a passport option is higher under  $\hat{\eta}$  than the diffusion coefficient  $\tilde{\eta}$ .*

**Proof:**

Using Theorem 3.1 or particularly Remark 3.3, we know for  $h$  increasing

$$\mathbb{E} h(\hat{S}_T^*) \geq \mathbb{E} h(\tilde{S}_T^*).$$

Take  $h(x) = \frac{1}{2}(x - S_0 - |G_0(q)|)^+ + G_0(q)^+$  and the result is true. □

The transformation of the price of the passport option from (12) to a quantity involving the maximum of the price process has allowed us to use Theorem 3.1 in a straightforward fashion. The result is interesting as it is important to see the effect of a different volatility on the option price, and show that the monotonicity property remains true even for general diffusion models.

## 4.2 Hedging and Super-replication of Passport Options

In the situation where the seller uses the 'true' model (there is no model misspecification), the market is complete. It is simple to show the seller replicates the passport option exactly if the holder follows the optimal strategy. If this strategy is not followed, the seller will super-replicate.

We will now consider the situation of the option seller using an incorrect model. This question has been considered by El Karoui et al [7] and Hobson [12] in the context of non-path-dependent options with convex payoffs. They show the seller can super-replicate if volatility is overestimated and the asset price follows a diffusion under the model used. It is an important question as it means the sellers' hedging strategy is robust to model misspecification of the dynamics of the underlying asset.

Assume the seller believes and uses for pricing the model

$$(14) \quad d\hat{S}_t = \hat{\eta}(\hat{S}_t, t)dW_t$$

and the price of a passport option is given by

$$(15) \quad V^P(t, \hat{S}_t, \hat{G}_t(q)) = \sup_{|q| \leq 1} \mathbb{E}_t \hat{G}_T^+(q).$$

We assume  $r = 0$  for simplicity in this section. Let  $q^*$  be the holder's optimal strategy which attains the supremum above. The price  $V^P$  is a martingale when  $q = q^*$  and a supermartingale otherwise, as shown in Henderson and Hobson [11].

Suppose that the true volatility is  $\tilde{\eta}(\tilde{S}_t, t)$  and that

$$(16) \quad \hat{\eta}(x, t) \geq \tilde{\eta}(x, t) \forall x, t.$$

**Theorem 4.2** *If the seller of the passport option overestimates volatility then they can super-replicate the option, regardless of the holders' strategy.*

**Proof:**

Set  $S_0 = \hat{S}_0 = \tilde{S}_0$  and  $G_0 = \hat{G}_0 = \tilde{G}_0$ . The buyer follows some strategy  $q$ , not necessarily  $q^*$ . Since we are in a complete market, we write the option payoff as the sum of the initial price plus gains from trade, under the writers' model:

$$(17) \quad \hat{G}_T^+ = V^P(0, S_0, G_0) + \int_0^T \theta_u d\hat{S}_u$$

where  $\theta$  is the sellers' hedge.

Also since  $V^P(t, \hat{S}_t, \hat{G}_t(q))$  is a super-martingale we have

$$(18) \quad \begin{aligned} \dot{V}^P(t, s, g) &+ \frac{1}{2}V_{SS}^P(t, s, g)\hat{\eta}^2(s, t) + \frac{1}{2}V_{GG}^P(t, s, g)\hat{\eta}^2(s, t)(q)^2 \\ &+ V_{SG}^P(t, s, g)\hat{\eta}^2(s, t)q \leq 0 \end{aligned}$$

with equality if  $q = q^*$ .

Using Itô's lemma also gives us the sellers' hedge as

$$(19) \quad \theta_t = (V_S^P(t, s, g) + qV_G^P(t, s, g)).$$

Now if the seller begins with an amount  $V^P(0, S_0, G_0)$  and follows this hedge in the real world, he will have

$$V^P(0, S_0, G_0) + \int_0^T \theta_u d\tilde{S}_u$$

by time  $T$ . This is equivalent to

$$(20) \quad V^P(0, S_0, G_0) + \int_0^T (V_S^P(u, \tilde{S}_u, \tilde{G}_u) + qV_G^P(u, \tilde{S}_u, \tilde{G}_u))d\tilde{S}_u.$$

We may also represent the payoff in the real world by:

$$(21) \quad \tilde{G}_T^+ = V^P(0, S_0, G_0) + \int_0^T dV^P(u, \tilde{S}_u, \tilde{G}_u)$$

as  $\tilde{G}_T^+ = V^P(0, S_T, \tilde{G}_T^+)$ .

Using (20) and (21),

$$(22) \quad \begin{aligned} V^P(0, S_0, G_0) + \int_0^T \theta_u d\tilde{S}_u &= \tilde{G}_T^+ - \int_0^T dV^P(u, \tilde{S}_u, \tilde{G}_u) \\ &+ \int_0^T (V_S^P(u, \tilde{S}_u, \tilde{G}_u) + qV_G^P(u, \tilde{S}_u, \tilde{G}_u))d\tilde{S}_u. \end{aligned}$$

Then using Itô's lemma on  $V^P(u, \tilde{S}_u, \tilde{G}_u)$  gives,

$$(23) \quad \begin{aligned} dV^P(u, \tilde{S}_u, \tilde{G}_u) &= (V_S^P(u, \tilde{S}_u, \tilde{G}_u) + qV_G^P(u, \tilde{S}_u, \tilde{G}_u))d\tilde{S}_u \\ &+ (\dot{V}^P(t, \tilde{S}_t, \tilde{G}_t) + \frac{1}{2}V_{SS}^P(t, \tilde{S}_t, \tilde{G}_t)\tilde{\eta}^2(\tilde{S}, t) \\ &+ \frac{1}{2}V_{GG}^P(t, \tilde{S}_t, \tilde{G}_t)\tilde{\eta}^2(\tilde{S}, t)(q)^2 + V_{SG}^P(t, \tilde{S}_t, \tilde{G}_t)\tilde{\eta}^2(\tilde{S}, t)q)du \\ &\leq (V_S^P(u, \tilde{S}_u, \tilde{G}_u) + qV_G^P(u, \tilde{S}_u, \tilde{G}_u))d\tilde{S}_u \end{aligned}$$

if and only if

$$\begin{aligned} \dot{V}^P(t, s, g) &+ \frac{1}{2}V_{SS}^P(t, s, g)\tilde{\eta}^2(s, t) \\ &+ \frac{1}{2}V_{GG}^P(t, s, g)\tilde{\eta}^2(s, t)(q)^2 + V_{SG}^P(t, s, g)\tilde{\eta}^2(s, t)q \leq 0. \end{aligned}$$

Using (18) with  $q = q^*$  the above is equivalent to

$$\begin{aligned} \frac{1}{2}V_{SS}^P(t, s, g)\hat{\eta}^2(s, t) &+ \frac{1}{2}V_{GG}^P(t, s, g)\hat{\eta}^2(s, t)(q^*)^2 + V_{SG}^P(t, s, g)\hat{\eta}^2(s, t)q^* \\ &- (\frac{1}{2}V_{SS}^P(t, s, g)\tilde{\eta}^2(s, t) + \frac{1}{2}V_{GG}^P(t, s, g)\tilde{\eta}^2(s, t)(q)^2 \\ &+ V_{SG}^P(t, s, g)\tilde{\eta}^2(s, t)q) \geq 0 \end{aligned}$$

There are now two cases to consider. If  $q = q^*$ , using (16) we need to show

$$(24) \quad (\frac{1}{2}V_{SS}^P(t, s, g) + \frac{1}{2}V_{GG}^P(t, s, g)(q^*)^2 + V_{SG}^P(t, s, g)q^*) \geq 0.$$

We show this in Lemma 4.3 below. Then for general  $q$ , we need

$$\begin{aligned} \frac{1}{2}V_{SS}^P(t, s, g) &+ \frac{1}{2}V_{GG}^P(t, s, g)q^{*2} + V_{SG}^P(t, s, g)q^* \\ &\geq \frac{1}{2}V_{SS}^P(t, s, g) + \frac{1}{2}V_{GG}^P(t, s, g)q^2 + V_{SG}^P(t, s, g)q \end{aligned}$$

which is immediate from (18).

This proves the result since now

$$V^P(0, S_0, G_0) + \int_0^T \theta_u d\tilde{S}_u \geq \tilde{G}_T^+$$

using (22) and (23).

It remains to prove the lemma.

**Lemma 4.3**  $(\frac{1}{2}V_{SS}^P(t, s, g) + \frac{1}{2}V_{GG}^P(t, s, g)(q^*)^2 + V_{SG}^P(t, s, g)q^*) \geq 0.$

**Proof:**

Using (18) with  $q = q^*$  it is equivalent to show  $\dot{V}^P(t, s, g) \leq 0$ . Rewrite the price as follows using (13), where  $S_t = s$  and  $G_t = g$ :

$$\begin{aligned} V^P(t, s, g) &= \frac{1}{2}\mathbb{E}_t(\sup_{t < r \leq T} S_r - (s + |g|))^+ + g^+ \\ &= \frac{1}{2}\mathbb{E}_t[\sup_{t < r \leq T} S_r \vee (s + |g|)] + g^+ - \frac{1}{2}(s + |g|) \\ (25) \quad &= \frac{1}{2}f(s + |g|, s, T - t) + \frac{1}{2}(g - s) \end{aligned}$$

where  $f$  is given by  $f(S_t^*, S_t, T-t) = \mathbb{E}_t[S_T^* | S_t^*, S_t] = \mathbb{E}_t[S_t^* \vee \sup_{t < r \leq T} S_r | S_t^*, S_t]$ .

We want

$$(26) \quad \dot{V}^P(t, s, g) \equiv \frac{1}{2} \frac{\partial}{\partial t} f(s + |g|, s, T-t) \leq 0.$$

Rewriting  $f$  as in Henderson and Hobson [11] as

$$f(S_t^*, S_t, T-t) = S_t^* + \mathbb{E}_t\left(\sup_{t < r \leq T} S_r - S_t^*\right)^+$$

we will show

$$(27) \quad \frac{\partial}{\partial t} f(S_t^*, S_t, T-t) = \frac{\partial}{\partial t} \left[ S_t^* + \mathbb{E}_t\left(\sup_{t < r \leq T} S_r - S_t^*\right)^+ \right] \leq 0.$$

which is equivalent to showing (26).

Intuition tells us that this result is surely true. If there is less time until maturity, the expected maximum of  $S$  should be lower. This is clearly true if the diffusion coefficient is time-independent. However in our time-inhomogeneous setting, it turns out that it requires a subtle proof, involving starting  $S$  at two different times, but with the same value.

Consider two processes  $S^1$  and  $S^2$  which satisfy the same SDE and have the same initial conditions but start at different times. We write

$$(28) \quad dS_u^1 = \eta(S_u^1, u) dB_u$$

and

$$(29) \quad dS_u^2 = \eta(S_u^2, u) dB_u$$

with  $S_t^1 = S_{t+h}^2 = x$  and  $(S_t^1)^* = (S_{t+h}^2)^* = y$ . Then condition (27) will follow if

$$(30) \quad y + \mathbb{E}_t\left(\sup_{t < r \leq T} S_r^1 - y\right)^+ \geq y + \mathbb{E}_{t+h}\left(\sup_{t+h < r \leq T} S_r^2 - y\right)^+.$$

We prove this using a coupling argument. Use the Brownian motion  $W_t$  to define  $\tau^1$  as the solution to

$$(31) \quad \frac{d\tau_r^1}{dr} = \frac{1}{\eta(W_r + x, \tau_r^1)^2}.$$

Denote the inverse to  $\tau^1$  by  $A_r^1$  and define  $S^1$  via

$$(32) \quad S_r^1 \equiv W_{A_r^1} + x$$

Now

$$(33) \quad \frac{dA_r^1}{dr} = \eta(W_{A_r^1} + x, \tau_{A_r^1}^1)^2 \equiv \eta(S_r^1, r)^2$$

so that  $S^1$  is a weak solution to (28).

Now we can use the same Brownian motion  $W$  to construct  $\tau^2, A^2, S^2$  such that  $S_r^2 = W_{A_r^2} + x$ .

So

$$\sup_{t < r \leq T} S_r^1(\omega) = \sup_{0 \leq m \leq A_T^1} W_m(\omega) + x$$

and

$$\sup_{t+h < r \leq T} S_r^2(\omega) = \sup_{0 \leq m \leq A_T^2} W_m(\omega) + x$$

so to achieve the result it is sufficient to show that the time changes are ordered correctly,  $A_T^1(\omega) \geq A_T^2(\omega) \forall \omega$ . We will prove the equivalent result for the inverse:  $\tau_t^1 \leq \tau_t^2 \forall t, \omega$ .

Using the definition (31), we write

$$\frac{d\tau_r^1}{dr} = \frac{1}{\eta(W_r + x, \tau_r^1)^2}$$

and

$$\frac{d\tau_r^2}{dr} = \frac{1}{\eta(W_r + x, \tau_r^2)^2}$$

where  $\tau_0^1 = t$  and  $\tau_0^2 = t + h$ . Hence  $\tau_r^1$  and  $\tau_r^2$  solve the same differential equation with different starting positions,  $\tau_0^2 > \tau_0^1$ . Thus  $\tau_t^1 \leq \tau_t^2 \forall t, \omega$  and so  $A_t^1(\omega) \geq A_t^2(\omega) \forall t, \omega$ .

□

**Remark 4.4** If instead, volatility is underestimated, the seller can sub-replicate. This is only true when the holder follows the optimal strategy  $q^*$  and is not true in general.

## 5 Conclusion

The motivation for the problems in this paper is a practical one. In reality, option sellers do not know the 'true' dynamics of the underlying asset and any model used is an approximation. One way of dealing with this is to overestimate volatility. The results in this paper show that for a wide class of path dependent options (including the passport option), overestimating volatility leads to super-replication.

We have provided a short alternative proof of the result that convex, path-independent option prices are increasing in volatility when the underlying is a diffusion process. This is a well known result but our alternative proof is more general in that it can be extended to cover exotic options.

This monotonicity result has been extended to path-dependent options whose payoff is a function of the maximum (or minimum) of the process in Theorem 3.1. Using the link between passport and lookback options in Henderson and Hobson [11], we apply this result directly to the passport option.

The extended monotonicity result has been used to obtain a comparison for passport option prices. For general diffusion models, the price of a passport option is increasing in the volatility of the asset price. This is similar to the questions asked by El Karoui et al [7] and Hobson [12] in a level dependent stochastic volatility model context.

Following from this, we have shown that regardless of the strategy followed by the option holder, the seller will always super-replicate when they overestimate volatility. This again holds for general diffusion models and is proved using a coupling argument.

## References

- [1] Andersen L., Andreasen J. and R. Brotherton-Ratcliffe; The Passport Option, *Journal of Computational Finance*, Vol.1, No.3, p15-36, 1998.
- [2] Bensoussan A., Crouhy M. and D. Galai; Stochastic equity volatility and the capital structure of the firm, *Philosophical Transactions of the Royal Society of London, Series A*, 347, p449-598, 1994.
- [3] Bergman Y.Z., Grundy B.D. and Z. Wiener; General Properties of options prices, *Working paper 1-96, Wharton School, University of Pennsylvania*, 1996.
- [4] Cox J.C. and S.A. Ross; The Valuation of Options for Alternative Stochastic Processes, *Journal of Financial Economics*, 3, p145-166, 1976.
- [5] Delbaen F. and M. Yor; Passport options, *Preprint, ETH*, April 1999.
- [6] Dudenhausen A., Schlögl E. and L. Schlögl; Robustness of the Black and Scholes formula, *Preprint*, December 1998.
- [7] El Karoui N, Jeanblanc Picque M. and S.E. Shreve; Robustness of the Black and Scholes formula, *Mathematical Finance*, Vol 8, No.2, p93-126, 1998.
- [8] El Karoui N. and MC. Quenez; Dynamic Programming and Pricing of Contingent Claims in an Incomplete Market, *SIAM Journal on Control and Optimization*, 33(1), p27-66, 1995.
- [9] Hajek B.; Mean Stochastic Comparison of Diffusions, *Z. Wahrscheinlichkeitstheorie verw. Gebiete*, 68, p315-329, 1985.
- [10] Henderson V.; A Probabilistic Approach to Passport Options, *PhD Thesis, University of Bath*, 1999.
- [11] Henderson V. and D.G. Hobson; Local time, Coupling and the Passport Option, *Finance and Stochastics*, Vol 4, 1, Jan, 2000.
- [12] Hobson D.G.; Volatility mis-specification, option pricing and super-replication via coupling, *Annals of Applied Probability*, 8, No.1, p193-205, 1998.
- [13] Hyer T., Lipton-Lifschitz A. and D. Pugachevsky; Passport to Success, *RISK*, 10, No.9, p127-131, 1997.



- [14] Lindvall T.; Lectures on the Coupling Method, Wiley, New York, 1992.
- [15] Rogers L.C.G. and Williams D.; Diffusions, Markov Processes and Martingales 2: Ito Calculus, Wiley, Chichester, 1987.
- [16] Rubinstein M.; Displaced Diffusion option pricing, *Journal of Finance*, 38, p213-217, 1983.
- [17] Shreve S.E. and J. Večer; Passport Option: Probabilistic Approach for Solving the Symmetric Case, *Preprint*, 1998.